Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

IN THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) A <u>computer-implemented</u> system <u>comprising including</u>:
 - [[i.]] a processor coupled to a memory through a bus; and
 - [[ii.]] an auction price-setting process executed from the memory by the processor to determine that a high proxy bid is less than a reserve price and, in response, cause the processor to automatically publish at least one of a proxy bid information and [[a]] the reserve price when a high proxy bid is less than the reserve price, the proxy bid information and the reserve price being associated with a listing for an item during an auction price-setting process; and
 - iii. an auction price-setting process executed from the memory by the processor to cause the processor to keep the proxy bid information and the reserve price confidential when the high proxy bid is more than the reserve price.
- 2. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the auction price-setting process further causes the processor to automatically retract publication of the proxy bid information upon the high proxy bid exceeding the reserve price.
- 3. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the auction price-setting process further causes the processor to request an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing.
- 4. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the publication is performed during the auction price-setting process.
- 5. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the publication is performed after the auction price-setting process.

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

Page 3 Dkt: 2043.033US2

6. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the auction price-setting process further causes the processor to <u>determine that the reserve price is published</u> and, automatically notify a buyer <u>that the reserve price is published</u> when the reserve price is <u>published</u>.

- 7. (Currently Amended) The <u>computer-implemented</u> system of claim 1, wherein the publication includes publishing for view by a specific bidder only.
- 8. (Currently Amended) A <u>computer-implemented</u> system <u>comprising</u> including:
 - [[i.]] a processor coupled to a memory through a bus; and
 - [[ii.]] an auction price-setting process executed from the memory by the processor to determine that a high proxy bid is less than a reserve price and, in response, cause the processor to exchange of at least one of a proxy bid information of a buyer and a reserve price information of a seller when a high proxy bid is less than the reserve price, the at least one of the proxy bid information and the reserve price information being associated with a listing utilizing the auction price-setting process; and
 - ii. an auction price-setting process executed from the memory by the processor to prevent the processor from exchanging proxy bid information and the reserve price when the high proxy bid is more than the reserve price.
- 9. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the at least one of the proxy bid information and the reserve price information are automatically exchanged upon conclusion of the auction price-setting process.
- 10. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the at least one of the proxy bid information and the reserve price information are automatically exchanged during the auction price-setting process.

Page 4 Dkt: 2043.033US2

- 11. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the auction price-setting process further causes the processor to automatically invite at least one of the seller and the buyer to exchange the at least one of the proxy bid and the reserve price information.
- 12. (Currently Amended) The <u>computer-implemented</u> system of claim 11, wherein <u>it is</u> determined that a proxy bid associated with the seller and the reserve price are within a <u>predetermined proximity of each other and, in response</u>, at least one of the buyer and the seller is automatically invited to exchange the at least one of the proxy bid and the reserve price information when a proxy bid associated with the seller and the reserve price are within a <u>predetermined proximity of each other</u>.
- 13. (Currently Amended) The <u>computer-implemented</u> system of claim 12, wherein the predetermined proximity is within twenty percent of each other.
- 14. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the exchange of information is a secured exchange of information.
- 15. (Currently Amended) The <u>computer-implemented</u> system of claim 11, wherein the invitation is indicated in the listing.
- 16. (Currently Amended) The <u>computer-implemented</u> system of claim 11, wherein the invitation is indicated in the listing before the auction price-setting process.
- 17. (Currently Amended) The <u>computer-implemented</u> system of claim 11, wherein the invitation is indicated in the listing after the auction price-setting process.
- 18. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the exchange is performed by automatically publishing at least one of the at least one of the proxy bid information and the reserve price information.

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

19. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the auction price-setting process further causes the processor to make a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing.

- 20. (Currently Amended) The <u>computer-implemented</u> system of claim 8, wherein the auction price-setting process further <u>determines that the reserve price has been published and, in response</u>, causes the processor to notify automatically the buyer <u>that the reserve price has been published</u> when the reserve price has been published.
- 21.-25 (Canceled)
- 26. (Currently Amended) A <u>computer-implemented</u> system <u>comprising</u> including:
 - [[i.]] a means for <u>determining</u> that a high proxy bid is less than a reserve price and, in response to the determining, automatically publishing at least one of a proxy bid information and [[a]] <u>the</u> reserve price when a high proxy bid is less than the reserve price, the proxy bid information and the reserve price being associated with a listing for an item in an auction price-setting process; <u>and</u>
 - ii. means for automatically causing proxy bid information and the reserve price be kept confidential when the high proxy bid is more than the reserve price; and
 - iii.—a storage means, coupled to the means for automatically publishing, for storing the proxy bid information and the reserve price.
- 27. (Currently Amended) The <u>computer-implemented</u> system of claim 26, further <u>comprising</u> including:
 - [[i.]] a means for automatically retracting publication of the at least one of the proxy bid information upon the high proxy bid exceeding the reserve price, the means for retracting coupled to the storage means.

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

Page 6 Dkt: 2043.033US2

28. (Currently Amended) The <u>computer-implemented</u> system of claim 26, further <u>comprising</u> including:

- [[i.]] a means for making a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing, the means for making the request coupled to the storage means.
- 29. (Currently Amended) A computer-implemented system comprising:
 - [[i.]] a means for exchanging of proxy information of a buyer and reserve price information of a seller, the proxy information and the reserve price information being associated with a listing of an item utilizing an auction price-setting process; and
 - [[ii.]] a storage means, coupled to the means for exchanging, for storing the proxy information.
- 30. (Currently Amended) The <u>computer-implemented</u> system of claim 29, wherein the proxy information and the reserve price information are automatically exchanged upon conclusion of the auction price-setting process.
- 31. (Currently Amended) The <u>computer-implemented</u> system of claim 29, wherein the proxy information and the reserve price information are automatically exchanged during the auction price-setting process.

32.-33. (Canceled)

Page 7 Dkt: 2043.033US2

34. (Currently Amended) A machine computer-readable medium having comprising instructions, which when executed by one or more processors, perform the following operation to cause a machine to perform a method including:

- [[i.]] determining that a high proxy bid is less than a reserve price and, in response to the determining, automatically publishing at least one of a proxy bid information and [[a]] the reserve price when a high proxy bid is less than the reserve price, the proxy bid information and the reserve price being associated with a listing for an item during an auction price-setting process; and
- ii. <u>keeping proxy bid information and the reserve price confidential when the high</u>

 proxy bid is more than the reserve price.
- 35. (Currently Amended) The machine-computer-readable medium of claim 34, further including comprising instructions, which when executed by one or more processors, perform the following operation:
 - [[i.]] automatically retracting publication of the proxy bid information upon the high proxy bid exceeding the reserve price.
- 36. (Currently Amended) The machine-readable medium of claim 34, further including comprising instructions, which when executed by one or more processors, perform the following operation:
 - [[i.]] making a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing.
- 37. (Currently Amended) The <u>machine computer</u>-readable medium of claim 34, wherein the publication is performed during the auction price-setting process.
- 38. (Currently Amended) The machine-computer-readable medium of claim 34, wherein the publication is performed after the auction price-setting process.

Dkt: 2043.033US2

- 39. (Currently Amended) The machine-computer-readable medium of claim 34, further including comprising instructions, which when executed by one or more processors, perform the following operation:
 - [[i.]] <u>determining that the reserve price is published and, in response to the determining,</u> automatically notifying a buyer <u>that the reserve price is published</u> when the reserve price is published.
- 40. (Currently Amended) The <u>machine computer</u>-readable medium of claim 34, wherein the publishing includes publishing for view by a specific bidder only.
- 41. (Currently Amended) A machine-computer-readable medium including comprising instructions, which when executed by one or more processors, perform the following operation:
 - [[i.]] exchanging of proxy information of a buyer and reserve price information of a seller, the proxy information and the reserve price information being associated with a listing utilizing the auction price-setting process.
- 42. (Currently Amended) The <u>machine-computer</u>-readable medium of claim 41, wherein the proxy information and the reserve price information are automatically exchanged upon conclusion of the auction price-setting process.
- 43. (Currently Amended) The <u>machine-computer</u>-readable medium of claim 41, wherein the proxy information and the reserve price information are automatically exchanged during the auction price-setting process.
- 44. (Currently Amended) The machine computer-readable medium of claim 41, further comprising instructions, which when executed by one or more processors, perform the following operation:
 - [[i.]] automatically inviting at least one of the seller and the buyer to exchange the proxy and the reserve price information.

Serial Number: 10/749,614 Filing Date: December 30, 2003

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

Page 9 Dkt: 2043.033US2

(Currently Amended) The machine computer-readable medium of claim 44, wherein it is 45. determined that a proxy bid associated with the seller and the reserve price are within a predetermined proximity of each other and, in response, at least one of the buyer and the seller is automatically invited to exchange the proxy and the reserve price information when a proxy bid associated with the seller and the reserve price are within a predetermined proximity of each other.

- (Currently Amended) The machine-computer-readable medium of claim 45, wherein the 46. predetermined proximity is within twenty percent of each other.
- (Currently Amended) The machine computer-readable medium of claim 41, wherein the 47. exchange of information is a secured exchange of information.
- (Currently Amended) The machine-computer-readable medium of claim 44, wherein the 48. invitation is indicated in the listing.
- (Currently Amended) The machine computer-readable medium of claim 44, wherein the 49. invitation is indicated in the listing before the auction price-setting process.
- (Currently Amended) The machine computer-readable medium of claim 44, wherein the 50. invitation is indicated in the listing after the auction price-setting process.
- (Currently Amended) The machine computer-readable medium of claim 41, wherein the 51. exchange is performed by automatically publishing at least one of the proxy information and the reserve price information.

52. (Currently Amended) The machine-computer-readable medium of claim 41, further

including comprising instructions, which when executed by one or more processors, perform the

following operation:

[[i.]] making a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a

seller of the listing.

53. (Currently Amended) The machine computer-readable medium of claim 41, further

including comprising instructions, which when executed by one or more processors, perform the

following operation:

[[i.]] determining that the reserve price has been published and, in response to the

determining, notifying automatically the buyer that the reserve price has been

published when the reserve price has been published.

54.-58. (Canceled)

59. (Currently Amended) A computer-implemented method comprising including:

[[i.]] determining that a high proxy bid is less than a reserve price and, in response to

the determining, automatically publishing at least one of a proxy bid information

and [[a]] the reserve price when a high proxy bid is less than the reserve price, the

proxy bid information and the reserve price being associated with a listing for an

auction price-setting process; and

ii. keeping proxy bid information and the reserve price confidential when the high

proxy bid is more than the reserve price.

60. (Currently Amended) The computer-implemented method of claim 59, further

comprising including:

[[i.]] automatically retracting publication of the proxy bid information upon the high

proxy bid exceeding the reserve price.

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

Page 11 Dkt: 2043.033US2

- 61. (Currently Amended) The <u>computer-implemented</u> method of claim 59, further <u>comprising including</u>:
 - [[i.]] making a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing.
- 62. (Currently Amended) The <u>computer-implemented</u> method of claim 59, wherein the publication is performed during the auction price-setting process.
- 63. (Currently Amended) The <u>computer-implemented</u> method of claim 59, wherein the publication is performed after the auction price-setting process.
- 64. (Currently Amended) The <u>computer-implemented</u> method of claim 59, further <u>comprising including</u>:
 - [[i.]] <u>determining that the reserve price is published and, in response to the</u>

 <u>determining</u>, automatically notifying a buyer <u>that the reserve price is published</u>

 <u>when the reserve price is published</u>.
- 65. (Currently Amended) The <u>computer-implemented</u> method of claim 59, wherein the publishing includes publishing for view by a specific buyer only.
- 66. (Currently Amended) A <u>computer-implemented</u> method <u>including comprising</u>:
 - [[i.]] exchanging of proxy information of a buyer and reserve price information of a seller, the proxy information and the reserve price information being associated with a listing utilizing an auction price-setting process.
- 67. (Currently Amended) The <u>computer-implemented</u> method of claim 66, wherein the proxy information and the reserve price information are automatically exchanged upon conclusion of the auction price-setting process.

Page 12 Dkt: 2043.033US2

68. (Currently Amended) The <u>computer-implemented</u> method of claim 66, wherein the proxy information and the reserve price information are automatically exchanged during the auction price-setting process.

- 69. (Currently Amended) The <u>computer-implemented</u> method of claim 66, further comprising:
 - [[i.]] automatically inviting at least one of the seller and the buyer to exchange the proxy and the reserve price information.
- 70. (Currently Amended) The <u>computer-implemented</u> method of claim 69, wherein <u>it is</u> determined that a proxy bid associated with the seller and the reserve price are within a <u>predetermined proximity of each other and, in response,</u> at least one of the buyer and the seller is automatically invited to exchange the proxy and the reserve price information when a proxy bid associated with the seller and the reserve price are within a predetermined proximity of each other.
- 71. (Currently Amended) The <u>computer-implemented</u> method of claim 70, wherein the predetermined proximity is within twenty percent of each other.
- 72. (Currently Amended) The <u>computer-implemented</u> method of claim 66, wherein the exchange of information is a secured exchange of information.
- 73. (Currently Amended) The <u>computer-implemented</u> method of claim 69, wherein the invitation is indicated in the listing.
- 74. (Currently Amended) The <u>computer-implemented</u> method of claim 69, wherein the invitation is indicated in the listing before the auction price-setting process.
- 75. (Currently Amended) The <u>computer-implemented</u> method of claim 69, wherein the invitation is indicated in the listing after the auction price-setting process.

Title: METHOD AND SYSTEM TO PUBLISH A SELLER FIXED PRICE OFFER

76. (Currently Amended) The <u>computer-implemented</u> method of claim 66, wherein the exchange is performed by automatically publishing at least one of the proxy information and the reserve price information.

- 77. (Currently Amended) The <u>computer-implemented</u> method of claim 66, further <u>including</u> comprising:
 - [[i.]] making a request for an adjustment of a fixed price offer associated with a listing for an item utilizing the auction price-setting process, the request to be sent to a seller of the listing.
- 78. (Currently Amended) The <u>computer-implemented</u> method of claim 66, further <u>including</u> <u>comprising</u>:
 - [[i.]] <u>determining that the reserve price has been published and, in response to the determining, notifying automatically the buyer that the reserve price has been published when the reserve price has been published.</u>

79.-83. (Canceled)